

# FAX TRANSMISSION

LAW OFFICE OF BERNHARD MOLLDREM

224 HARRISON STREET  
SYRACUSE, NY 13202  
(315) 422-4323  
FAX: (315) 422-4318

RECEIVED  
CENTRAL FAX CENTER

MAR 17 2005

To: Commissioner for Patents -- Date: March 17, 2005  
Attn Thomas J. Mullen - Art Unit  
2632

Fax #: 1-703-872-9306 Pages: Eight (8), including this cover  
sheet.


From: Bernhard P. Molldrem, Jr.

Subject: Ser. No. 10/687,065, filed Oct. 16, 2003, Deacy, Dan.

## COMMENTS:

The attached Response (7 pages) is filed in answer to the Official Action of February 17, 2005, which was under Ex Parte Quayle. No fees are required.

Please bring this to the Examiner's attention forthwith.



Bernhard P. Molldrem, Jr.  
Reg. No. 28,973  
Attorney for Applicant  
Customer No. 25891

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted by Facsimile on the date shown below to Commissioner for Patents, Alexandria VA 22313; Facsimile No. 1-703 872-9308

BERNHARD P. MOLLDREM JR  
(Type or print name of person sending fax)

Date: 3-17-05

  
(Signature of person sending fax)

RECEIVED  
CENTRAL FAX CENTER

MAR 17 2005

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted by Facsimile on the date shown below to Commissioner for Patents, Alexandria VA 22313; Facsimile No. 1-703 872-8308

BERNHARD P MILLONEN JR  
(Type or print name of person sending fax)

Date: 3-17-05

Bernhard P. Millonen Jr  
(Signature of person sending fax)

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Dan Deacy

Ser. No. 10/687,065

Filed October 16, 2003

For: Tobacco Smoke Detection System with Tamper  
Detection

Atty Docket No. 712.001PA

March 17, 2005

Art Unit: 2632

Examiner: Thomas J. Mullen

AMENDMENT

Box AMENDMENT - No Fee  
Hon. Commissioner for Patents  
Alexandria VA 22313

Sir:

In response to the Official Action of February 17, 2005, please amend the above-entitled Patent Application as follows: